

**VITAL STATISTICS
ANNUAL REVIEW
1980**



VITAL STATISTICS

ANNUAL REVIEW

1980

This publication is
restricted to events
occurring in Alberta

TABLE OF CONTENTS

	<u>Page</u>
Introduction	5
List of Tables	7
Summary of Vital Statistics, Alberta, 1980	29
Births, Deaths and Marriages, Alberta Municipalities of Population 1,000 or Greater, 1980	33
Glossary of Terms	41
List of 72 Selected Causes of Death	43





SOCIAL SERVICES
AND COMMUNITY HEALTH

Vital Statistics

In Replying Please Quote

403-427-2681
100 Avenue Building
10405 - 100 Avenue
Edmonton, Alberta, Canada
T5J 0A6

Introduction

This publication is a summary of Vital Statistics of the Province of Alberta for 1980, as of February, 1983.

Only events which took place in Alberta are included. This is as opposed to Statistics Canada figures which are adjusted to exclude events to non-Alberta residents in other Provinces.

Tables were generated from the Vital Statistics computer system. I wish to thank the Planning Secretariat for their assistance in compiling this review.

To ensure receiving future copies of this Annual Review, please complete and return the enclosed leaflet.

S. William Gilroy
Director
Division of Vital Statistics
Alberta Social Services and
Community Health

Errata:

The second line in the second paragraph should read...

This is as opposed to Statistics Canada figures which are adjusted to exclude events to non-Alberta residents and include events to Alberta residents in other Provinces.

LIST OF TABLES

<u>Number</u>	<u>Title</u>	<u>Page No.</u>
Table 1	Live Births Occurring In Alberta, Age of Mother by Birth Order, 1980	8
Table 2	In-Wedlock Live Births Occurring in Alberta, Age of Mother by Birth Order, 1980	9
Table 3	Out-Of-Wedlock Live Births Occurring in Alberta, Age of Mother by Birth Order, 1980	10
Table 4	Multiple Live Births Occurring in Alberta, By Age of Mother, 1980	11
Table 5	Male Live Births Occurring in Alberta, Birthweight by Age of Mother, 1980	12
Table 6	Female Live Births Occurring in Alberta, Birthweight by Age of Mother, 1980	14
Table 7	Male Live Births Occurring in Alberta, Birthweight by Gestation Period, 1980	16
Table 8	Female Live Births Occurring in Alberta, Birthweight by Gestation Period, 1980	18
Table 9	Marriages Occurring in Alberta Age of Bridegroom by Age of Bride, 1980	20
Table 9A	First Marriages Occurring in Alberta, Age of Bridegroom by Age of Bride, 1980	20
Table 10	Marriages Occurring in Alberta, Marital Status of Bridegroom by Marital Status of Bride, 1980	21
Table 11	Deaths Occurring in Alberta, Cause by Sex and Age, 1980	22
Table 12	Infant Deaths Occurring in Alberta, Cause by Sex and Age, 1980	28

TABLE 1 - LIVE BIRTHS OCCURRING IN ALBERTA,
AGE OF MOTHER BY BIRTH ORDER, 1980

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER											TOTAL	NON- RESIDENTS TOTAL	TOTAL
	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH +	NS			
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	4	-	-	-	-	-	-	-	-	-	-	4	-	4
14	27	-	-	-	-	-	-	-	-	-	-	27	-	27
15	97	7	-	-	-	-	-	-	-	-	-	104	1	105
16	352	19	1	-	-	-	-	-	-	-	1	373	7	380
17	688	83	5	-	-	-	-	-	-	-	2	778	12	790
18	914	212	17	3	-	-	-	-	-	-	10	1156	13	1169
19	1221	411	46	1	1	-	-	-	-	-	7	1687	15	1702
20	1268	583	101	22	2	-	-	-	-	-	9	1985	20	2005
21	1434	859	175	23	6	-	-	-	-	-	6	2503	31	2534
22	1467	979	274	50	10	3	-	-	-	-	8	2791	25	2816
23	1457	1072	384	64	16	2	-	-	-	-	11	3006	25	3031
24	1445	1187	428	86	18	5	5	-	-	-	8	3182	30	3212
25	1355	1196	513	116	26	8	3	-	-	1	13	3231	27	3258
26	1174	1195	556	126	24	11	5	2	-	1	6	3100	19	3119
27	1056	1092	542	151	47	16	2	2	1	-	8	2917	20	2937
28	830	894	503	177	38	17	5	1	-	1	6	2472	21	2493
29	680	848	459	151	52	26	5	2	1	-	6	2230	12	2242
30	505	707	428	160	48	20	9	2	1	-	4	1884	12	1896
31	365	510	372	156	59	19	16	6	2	2	2	1509	23	1532
32	257	422	300	141	43	22	15	6	2	2	-	1210	6	1216
33	166	332	233	128	50	18	10	10	5	3	5	960	10	970
34	113	209	168	68	29	13	10	11	3	2	1	627	5	632
35	71	137	120	73	34	18	9	9	4	5	1	481	4	485
36	56	99	79	46	22	15	5	4	-	3	-	329	5	334
37	30	54	45	45	17	11	7	7	2	5	-	223	3	226
38	23	33	35	22	13	8	6	6	3	6	2	157	1	158
39	15	29	26	14	11	9	2	6	4	8	2	126	4	130
40	6	10	11	14	8	4	6	4	5	6	-	74	-	74
41	7	7	8	2	7	9	3	1	2	8	-	54	1	55
42	5	5	5	2	1	-	1	3	1	4	-	27	-	27
43	1	1	3	5	1	2	3	-	-	3	-	10	-	19
44	2	-	-	2	-	2	1	2	1	1	-	11	-	11
45	-	3	2	1	-	1	-	-	-	2	-	9	-	9
46	-	-	-	1	-	-	-	-	-	-	-	1	-	1
47	1	-	-	-	-	-	-	-	-	-	-	1	-	1
48	-	-	-	-	-	-	-	-	-	1	-	1	-	1
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 +	2	-	-	-	1	-	-	-	-	-	-	3	-	3
NS	30	23	12	9	2	2	4	1	-	-	1	84	2	86
TOTAL	17124	13218	5851	1859	586	261	132	85	37	64	119	39336	354	39690

**TABLE 2 - IN-WEDLOCK LIVE BIRTHS OCCURRING IN ALBERTA,
AGE OF MOTHER BY BIRTH ORDER, 1980**

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER											TOTAL	NON- RESIDENTS TOTAL	TOTAL
	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH +	NS			
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	1	-	-	-	-	-	-	-	-	-	-	1	-	1
15	15	1	-	-	-	-	-	-	-	-	-	16	1	17
16	82	3	1	-	-	-	-	-	-	-	-	86	1	87
17	252	39	2	-	-	-	-	-	-	-	-	293	4	297
18	475	127	5	1	-	-	-	-	-	-	4	612	9	621
19	780	290	24	1	-	-	-	-	-	-	5	1100	11	1111
20	969	449	67	11	2	-	-	-	-	-	5	1503	16	1519
21	1167	751	127	13	1	-	-	-	-	-	4	2063	22	2085
22	1269	870	214	31	3	2	-	-	-	-	7	2396	17	2413
23	1308	976	322	43	10	-	-	-	-	-	10	2669	21	2690
24	1351	1105	370	66	12	4	4	-	-	-	7	2919	25	2944
25	1270	1140	453	94	16	4	1	-	-	1	13	2992	23	3015
26	1110	1130	511	108	14	7	3	1	-	1	6	2891	19	2910
27	997	1040	506	139	37	12	2	-	1	-	7	2741	16	2757
28	791	858	470	163	30	10	4	1	-	-	3	2330	19	2349
29	650	814	431	141	45	21	5	1	1	-	6	2115	10	2125
30	478	687	403	154	43	18	6	1	-	-	3	1793	11	1804
31	345	491	361	148	51	14	13	5	1	-	2	1431	20	1451
32	237	406	286	134	42	16	13	5	1	1	-	1141	6	1147
33	158	323	221	121	45	16	10	6	3	3	4	910	10	920
34	103	206	161	64	26	13	9	8	3	2	-	595	3	598
35	67	133	116	68	32	17	9	6	4	4	-	456	4	460
36	51	97	76	43	20	14	5	3	-	3	-	312	5	317
37	29	51	43	40	12	9	5	6	2	5	-	202	3	205
38	23	30	30	21	11	8	6	5	3	6	1	144	1	145
39	14	27	25	11	11	9	2	6	3	7	2	117	4	121
40	3	10	9	13	7	4	4	3	3	5	-	61	-	61
41	6	7	7	2	7	8	3	1	2	7	-	50	1	51
42	4	5	5	2	1	-	1	3	1	3	-	25	-	25
43	1	1	3	4	1	2	3	-	-	3	-	18	-	18
44	2	-	-	1	-	2	1	2	1	1	-	10	-	10
45	-	3	1	1	-	1	-	-	-	1	-	7	-	7
46	-	-	-	1	-	-	-	-	-	-	-	1	-	1
47	1	-	-	-	-	-	-	-	-	-	-	1	-	1
48	-	-	-	-	-	-	-	-	-	1	-	1	-	1
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 +	2	-	-	-	1	-	-	-	-	-	-	3	-	3
NS	17	16	10	5	1	2	2	1	-	-	-	54	2	56
TOTAL	14028	12086	5260	1644	481	213	111	64	29	54	89	34059	284	34343

TABLE 3 – OUT-OF-WEDLOCK LIVE BIRTHS OCCURRING IN ALBERTA,
AGE OF MOTHER BY BIRTH ORDER, 1980

AGE OF MOTHER (YEARS)	RESIDENTS BIRTH ORDER											TOTAL	NON- RESIDENTS TOTAL	TOTAL
	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH	10TH +	NS			
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	4	—	—	—	—	—	—	—	—	—	—	4	—	4
14	26	—	—	—	—	—	—	—	—	—	—	26	—	26
15	82	6	—	—	—	—	—	—	—	—	—	88	—	88
16	270	16	—	—	—	—	—	—	—	—	1	287	6	293
17	436	44	3	—	—	—	—	—	—	—	2	485	8	493
18	439	85	12	2	—	—	—	—	—	—	6	544	4	548
19	441	121	22	—	1	—	—	—	—	—	2	587	4	591
20	299	134	34	11	—	—	—	—	—	—	4	482	4	486
21	267	108	48	10	5	—	—	—	—	—	2	440	9	449
22	198	109	60	19	7	1	—	—	—	—	1	395	8	403
23	149	96	62	21	6	2	—	—	—	—	1	337	4	341
24	94	82	58	20	6	1	1	—	—	—	1	263	5	268
25	85	56	60	22	10	4	2	—	—	—	—	239	4	243
26	64	65	45	18	10	4	2	1	—	—	—	209	—	209
27	59	52	36	12	10	4	—	2	—	—	1	176	4	180
28	39	36	33	14	8	7	1	—	—	1	3	142	2	144
29	30	34	28	10	7	5	—	1	—	—	—	115	2	117
30	27	20	25	6	5	2	3	1	1	—	1	91	1	92
31	20	19	11	8	8	5	3	1	1	2	—	78	3	81
32	20	16	14	7	1	6	2	1	1	1	—	69	—	69
33	8	9	12	7	5	2	—	4	2	—	1	50	—	50
34	10	3	7	4	3	—	1	3	—	—	1	32	2	34
35	4	4	4	5	2	1	—	3	—	1	1	25	—	25
36	5	2	3	3	2	1	—	1	—	—	—	17	—	17
37	1	3	2	5	5	2	2	1	—	—	—	21	—	21
38	—	3	5	1	2	—	—	1	—	—	1	13	—	13
39	1	2	1	3	—	—	—	—	1	1	—	9	—	9
40	3	—	2	1	1	—	2	1	2	1	—	13	—	13
41	1	—	1	—	—	1	—	—	—	1	—	4	—	4
42	1	—	—	—	—	—	—	—	—	1	—	2	—	2
43	—	—	—	1	—	—	—	—	—	—	—	1	—	1
44	—	—	—	1	—	—	—	—	—	—	—	1	—	1
45	—	—	1	—	—	—	—	—	—	1	—	2	—	2
46	—	—	—	—	—	—	—	—	—	—	—	—	—	—
47	—	—	—	—	—	—	—	—	—	—	—	—	—	—
48	—	—	—	—	—	—	—	—	—	—	—	—	—	—
49	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50 +	—	—	—	—	—	—	—	—	—	—	—	—	—	—
NS	13	7	2	4	1	—	2	—	—	—	1	30	—	30
TOTAL	3096	1132	591	215	105	48	21	21	8	10	30	5277	70	5347

**TABLE 4 - MULTIPLE LIVE BIRTHS OCCURRING IN ALBERTA,
BY AGE OF MOTHER, 1980**

AGE OF MOTHERS (YEARS)	RESIDENTS					NON-RESIDENTS					TOTAL
	SINGLE	TWINS	TRIPLETS	NS	TOTAL	SINGLE	TWINS	TRIPLETS	NS	TOTAL	
10	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-
13	4	-	-	-	4	-	-	-	-	-	4
14	27	-	-	-	27	-	-	-	-	-	27
15	98	6	-	-	104	1	-	-	-	1	105
16	370	2	-	1	373	7	-	-	-	7	380
17	768	6	-	4	778	11	-	-	1	12	790
18	1138	16	-	2	1156	11	2	-	-	13	1169
19	1654	29	-	4	1687	15	-	-	-	15	1702
20	1947	33	-	5	1985	18	2	-	-	20	2005
21	2440	54	-	9	2503	31	-	-	-	31	2534
22	2719	64	-	8	2791	25	-	-	-	25	2816
23	2938	60	-	8	3006	25	-	-	-	25	3031
24	3120	52	-	10	3182	20	10	-	-	30	3212
25	3171	51	3	6	3231	25	2	-	-	27	3258
26	3037	58	-	5	3100	19	-	-	-	19	3119
27	2845	64	6	2	2917	18	2	-	-	20	2937
28	2419	49	-	4	2472	19	2	-	-	21	2493
29	2191	32	3	4	2230	10	2	-	-	12	2242
30	1839	41	-	4	1884	12	-	-	-	12	1896
31	1477	28	-	4	1509	23	-	-	-	23	1532
32	1174	34	-	2	1210	6	-	-	-	6	1216
33	929	30	-	1	960	10	-	-	-	10	970
34	619	8	-	-	627	5	-	-	-	5	632
35	469	12	-	-	481	4	-	-	-	4	485
36	322	6	-	1	329	5	-	-	-	5	334
37	214	8	-	1	223	3	-	-	-	3	226
38	154	2	-	1	157	1	-	-	-	1	158
39	124	2	-	-	126	2	2	-	-	4	130
40	74	-	-	-	74	-	-	-	-	-	74
41	54	-	-	-	54	1	-	-	-	1	55
42	27	-	-	-	27	-	-	-	-	-	27
43	19	-	-	-	19	-	-	-	-	-	19
44	11	-	-	-	11	-	-	-	-	-	11
45	9	-	-	-	9	-	-	-	-	-	9
46	1	-	-	-	1	-	-	-	-	-	1
47	1	-	-	-	1	-	-	-	-	-	1
48	1	-	-	-	1	-	-	-	-	-	1
49	-	-	-	-	-	-	-	-	-	-	-
50 +	3	-	-	-	3	-	-	-	-	-	3
NS	82	2	-	-	84	2	-	-	-	2	86
TOTAL	38489	749	12	86	39336	329	24	-	1	354	39690

THESE COUNTS REPRESENT NUMBERS OF ACTUAL LIVE BIRTHS AND NOT PREGNANCIES.
STILLBIRTHS ARE NOT INCLUDED IN THESE COUNTS.

TABLE 5 - MALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY AGE OF MOTHER, 1980

(1 OF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																		
	13 OR LESS	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR <	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
501- 750	-	-	-	-	1	1	-	1	-	-	1	-	-	3	1	-	3	1	2
751-1000	-	1	2	1	1	2	1	1	4	3	7	3	5	1	3	4	3	3	-
1001-1250	-	1	-	4	1	3	2	2	-	5	1	3	3	6	1	2	3	2	1
1251-1500	-	-	1	3	1	4	5	4	6	1	7	3	7	7	3	3	3	2	2
1501-1750	-	-	-	-	2	8	4	1	9	9	9	8	4	8	2	5	6	1	4
1751-2000	-	-	-	1	4	2	12	13	12	12	14	12	7	19	10	12	5	5	6
2001-2250	-	1	-	2	5	11	10	17	21	16	21	12	16	18	12	17	11	13	4
2251-2500	-	-	2	3	11	15	21	28	42	31	41	49	48	25	33	35	27	21	16
2501-2750	-	-	2	15	21	40	47	64	57	81	86	92	75	85	76	69	67	39	24
2751-3000	1	-	4	16	46	62	105	122	141	170	165	146	164	141	137	91	111	85	82
3001-3250	-	1	7	38	81	121	162	148	217	250	239	277	291	251	272	213	168	143	112
3251-3500	-	2	11	36	89	108	190	203	250	294	271	336	319	356	318	264	234	198	152
3501-3750	-	1	6	25	71	101	132	158	231	252	306	314	292	295	284	235	203	193	151
3751-4000	1	3	8	23	38	58	116	119	150	176	204	195	231	211	187	159	171	144	128
4001-4250	-	3	2	14	28	36	50	57	94	92	86	112	115	113	114	90	92	68	71
4251-4500	-	2	-	6	11	19	22	23	29	34	43	45	62	60	49	43	50	46	33
4501-4750	-	-	-	1	1	6	10	5	13	22	14	11	13	22	20	22	16	8	15
4751-5000	-	-	-	-	2	3	5	6	5	6	8	5	3	6	6	5	9	4	1
5001-5250	-	-	-	-	1	-	-	1	3	-	-	3	1	1	6	6	4	1	1
5251-5500	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	1
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	-	1	-	1	5	1	2	1	1	2	4	-	3	3	1	-	-
TOTAL	2	15	45	189	415	601	900	975	1286	1455	1524	1628	1661	1629	1539	1278	1187	977	806

TABLE 5 - MALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY AGE OF MOTHER, 1980

(2 OF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																			TOTAL	NON RES. TOTAL	TOTAL	
	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50+				NS
500 OR <	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
501- 750	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	17	3	20
751-1000	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	53	1	54
1001-1250	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	46	2	48
1251-1500	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68	3	71
1501-1750	4	1	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	93	6	99
1751-2000	4	5	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	161	2	163
2001-2250	7	10	2	5	2	5	3	2	-	2	1	-	-	-	-	-	-	-	-	-	246	5	251
2251-2500	21	16	4	8	1	1	1	2	-	1	2	-	-	-	-	1	-	-	-	-	506	12	518
2501-2750	29	27	13	14	6	6	3	4	2	-	1	2	-	-	-	-	-	-	-	4	1051	11	1062
2751-3000	56	43	38	25	12	10	9	5	5	1	6	-	-	1	-	-	-	-	-	4	2004	21	2025
3001-3250	119	68	51	37	17	18	13	8	7	5	1	1	1	-	-	-	-	-	-	12	3349	25	3374
3251-3500	121	89	56	52	27	18	14	16	6	5	-	1	-	2	-	-	-	-	-	7	4045	38	4083
3501-3750	113	83	51	40	29	16	13	7	6	5	1	4	1	-	-	-	-	-	1	6	3626	17	3643
3751-4000	78	73	40	33	28	10	9	4	6	1	1	-	1	-	-	-	-	-	-	5	2611	22	2633
4001-4250	52	43	37	18	15	6	9	8	4	6	1	-	1	-	-	-	-	-	-	4	1441	8	1449
4251-4500	25	15	16	5	8	8	1	4	3	2	3	1	1	-	1	-	-	-	-	-	670	6	676
4501-4750	11	7	2	3	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	229	1	230
4751-5000	3	6	1	2	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	93	3	96
5001-5250	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	-	35
5251-5500	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	6
5501-5750	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	1	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	2	33	-	33
TOTAL	650	496	318	249	154	106	80	66	40	29	18	9	5	4	1	1	-	-	1	48	20387	186	20573

**TABLE 6 - FEMALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY AGE OF MOTHER, 1980**

(1 OF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																			
	13 OR LESS	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
500 OR <	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
501- 750	-	-	-	1	-	3	-	2	4	2	4	1	3	1	2	1	2	2	1	
751-1000	-	-	-	-	2	2	5	3	2	1	5	2	4	-	-	-	-	2	-	
1001-1250	-	1	1	-	2	1	7	1	1	6	3	4	3	2	-	-	4	5	2	
1251-1500	-	-	-	-	3	3	6	6	2	3	7	3	5	2	4	3	5	2	1	
1501-1750	-	1	-	-	-	3	3	6	4	7	3	3	5	6	3	4	5	5	6	
1751-2000	-	-	1	4	3	1	4	8	10	8	13	5	11	5	13	4	6	3	3	
2001-2250	-	1	-	4	5	4	7	23	25	21	23	12	25	26	23	17	14	9	10	
2251-2500	-	1	3	8	10	24	30	34	43	48	52	59	39	51	41	37	22	24	25	
2501-2750	1	-	4	8	38	48	66	96	102	119	111	112	103	94	81	89	62	67	39	
2751-3000	-	2	9	30	48	102	140	142	171	188	200	212	231	191	186	169	130	103	85	
3001-3250	-	1	8	30	78	91	159	200	226	254	298	307	318	283	248	223	184	159	141	
3251-3500	-	1	11	39	75	123	150	225	255	272	299	342	364	333	306	244	224	210	141	
3501-3750	-	1	12	32	55	75	105	136	207	227	235	239	224	232	225	196	191	145	114	
3751-4000	1	3	6	15	19	46	64	78	99	96	152	149	126	146	144	127	114	92	76	
4001-4250	-	-	4	6	14	20	28	30	40	50	46	67	61	70	58	55	44	45	35	
4251-4500	-	-	-	3	9	6	5	11	15	19	19	27	27	16	20	12	22	20	20	
4501-4750	-	-	-	2	2	1	2	5	5	13	5	3	10	7	13	6	9	3	2	
4751-5000	-	-	-	-	-	1	4	2	3	1	1	3	7	3	4	-	4	7	1	
5001-5250	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	4	-	1	-	
5251-5500	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NS	-	-	-	2	-	1	1	1	2	-	2	2	3	1	-	2	-	1	-	
TOTAL	2	12	59	184	363	555	786	1010	1216	1336	1479	1553	1570	1471	1376	1194	1043	905	702	

TABLE 6 - FEMALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY AGE OF MOTHER, 1980

(2 OF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS AGE OF MOTHER (YEARS)																			TOTAL	NON RES. TOTAL	TOTAL	
	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 + NS				
500 OR <	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	
501- 750	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	-	33	
751-1000	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	1	33	
1001-1250	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45	1	46	
1251-1500	2	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	61	-	61	
1501-1750	1	3	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	74	2	76	
1751-2000	5	4	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	116	6	122	
2001-2250	9	4	1	1	3	1	3	2	2	1	-	-	-	-	-	-	-	-	-	277	9	286	
2251-2500	11	15	9	5	10	5	1	2	1	-	-	-	-	-	-	-	1	-	-	613	11	624	
2501-2750	41	28	20	14	9	9	7	8	3	2	-	-	1	-	-	-	-	-	-	1387	10	1397	
2751-3000	60	54	45	24	18	12	6	6	5	-	2	3	-	-	-	-	-	-	2	3	2579	20	2599
3001-3250	102	75	52	41	31	23	17	8	8	5	-	3	1	1	-	-	-	-	-	8	3583	32	3615
3251-3500	120	97	64	45	36	22	13	9	3	5	3	4	2	2	-	-	-	-	-	8	4047	25	4072
3501-3750	98	76	34	45	32	24	14	6	5	2	3	-	1	1	-	-	-	-	-	4	2996	30	3026
3751-4000	61	52	40	29	22	10	7	10	6	4	1	-	-	-	-	-	-	-	-	4	1799	9	1808
4001-4250	31	25	19	12	6	3	3	4	1	2	-	-	-	-	-	-	-	-	-	-	779	9	788
4251-4500	8	16	13	7	1	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	304	1	305
4501-4750	8	7	4	3	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	115	1	116
4751-5000	-	3	2	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	53	-	53
5001-5250	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	12
5251-5500	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-	4
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
6251-6500	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	21	-	21
TOTAL	559	464	309	232	175	117	77	59	34	25	9	10	6	5	-	-	1	-	2	36	18936	167	19103

**TABLE 7 - MALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY GESTATION PERIOD, 1980**

(1 OF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS)															
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR <	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
501- 750	-	-	-	-	-	1	2	3	5	2	2	1	-	1	-	-
751-1000	-	-	-	1	-	-	-	3	3	15	12	3	8	3	2	1
1001-1250	-	-	-	-	-	-	1	-	1	2	5	8	14	7	4	-
1251-1500	-	-	-	-	-	-	-	-	1	-	-	2	12	7	11	11
1501-1750	-	-	-	-	-	-	-	-	-	-	-	2	2	4	11	14
1751-2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	10
2001-2250	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2
2251-2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2
2501-2750	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
2751-3000	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3001-3250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3251-3500	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
3501-3750	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3751-4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4001-4250	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
4251-4500	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
4501-4750	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
4751-5000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5001-5250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5251-5500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
TOTAL	-	-	-	1	-	2	10	7	11	19	20	16	40	23	39	42
NON-RES	-	-	-	-	-	-	-	-	2	1	-	-	2	3	4	2
TOTAL	-	-	-	1	-	2	10	7	13	20	20	16	42	26	43	44

**TABLE 7 - MALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY GESTATION PERIOD, 1980**

(2 OF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS)														TOTAL
	32	33	34	35	36	37	38	39	40	41	42	43	44 +	NS	
500 OR <	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
501- 750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
751-1000	-	-	-	-	1	-	-	-	-	-	-	-	-	1	53
1001-1250	-	1	-	-	1	-	1	1	-	-	-	-	-	-	46
1251-1500	10	5	3	3	3	-	-	-	-	-	-	-	-	-	68
1501-1750	24	9	4	4	5	8	1	3	1	1	-	-	-	-	93
1751-2000	23	19	19	20	24	9	9	7	8	1	1	2	-	3	161
2001-2250	19	26	36	31	37	28	24	13	16	8	2	-	1	-	246
2251-2500	5	10	36	52	97	77	77	48	77	12	4	1	1	4	506
2501-2750	8	14	25	46	139	156	213	129	251	45	17	2	-	4	1051
2751-3000	4	8	15	30	149	198	413	337	653	117	58	5	1	15	2004
3001-3250	1	-	9	28	119	182	511	675	1368	286	119	15	5	29	3349
3251-3500	1	-	6	17	94	142	440	774	1863	452	201	27	6	20	4045
3501-3750	-	-	4	12	78	83	329	580	1762	478	243	29	10	17	3626
3751-4000	-	-	3	2	35	58	183	374	1291	390	223	34	5	13	2611
4001-4250	-	1	-	1	14	27	64	165	715	279	141	23	1	8	1441
4251-4500	-	-	-	1	11	10	26	73	301	142	88	11	3	3	670
4501-4750	-	-	-	-	2	1	7	24	104	55	29	4	-	2	229
4751-5000	-	-	-	-	1	2	3	9	43	22	11	1	-	1	93
5001-5250	-	-	-	-	-	1	1	7	16	6	3	1	-	-	35
5251-5500	-	-	-	-	-	1	-	-	2	1	1	-	1	-	6
5501-5750	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
5751-6000	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	3	-	-	-	2	6	2	1	11	2	1	-	-	2	33
TOTAL	98	93	160	247	812	989	2304	3220	8482	2298	1143	155	34	122	20387
NON-RES	1	2	6	3	8	11	21	26	67	16	10	1	-	-	186
TOTAL	99	95	166	250	820	1000	2325	3246	8549	2314	1153	156	34	122	20573

**TABLE 8 - FEMALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY GESTATION PERIOD, 1980**

(1 CF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS)															
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
500 OR <	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
501- 750	-	-	-	-	1	1	3	6	10	5	2	1	2	-	-	1
751-1000	-	-	-	-	1	-	1	-	-	7	11	4	4	2	1	-
1001-1250	-	-	1	-	-	-	-	-	1	-	3	2	13	10	5	3
1251-1500	-	-	-	-	-	-	-	-	-	-	1	-	7	4	13	12
1501-1750	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	6
1751-2000	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5
2001-2250	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-
2251-2500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2501-2750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2751-3000	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
3001-3250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
3251-3500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3501-3750	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3751-4000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
4001-4250	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
4251-4500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4501-4750	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
4751-5000	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
5001-5250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5251-5500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5501-5750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6251-6500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6501 + NS	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
TOTAL	-	-	1	-	4	3	7	8	12	12	19	7	31	20	28	30
NON-RES	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
TOTAL	-	-	1	-	4	3	7	8	12	12	20	8	31	21	28	30

**TABLE 8 - FEMALE LIVE BIRTHS OCCURRING IN ALBERTA,
BIRTH WEIGHT BY GESTATION PERIOD, 1980**

(2 OF 2)

BIRTH WEIGHT (GRAMS)	RESIDENTS GESTATION PERIOD (WEEKS)														TOTAL
	32	33	34	35	36	37	38	39	40	41	42	43	44 +	NS	
500 OR <	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
501- 750	-	-	-	-	-	1	-	-	-	-	-	-	-	-	33
751-1000	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
1001-1250	3	-	-	1	2	1	-	-	-	-	-	-	-	-	45
1251-1500	10	4	3	-	3	1	1	1	1	-	-	-	-	-	61
1501-1750	19	18	9	3	6	1	4	1	-	-	-	-	-	-	74
1751-2000	14	10	20	16	12	8	6	9	7	2	-	-	2	2	116
2001-2250	13	11	32	38	51	30	33	14	38	9	3	-	-	1	277
2251-2500	5	10	28	40	97	75	125	71	129	16	12	1	-	4	613
2501-2750	7	8	21	36	115	167	272	208	431	72	33	9	1	7	1387
2751-3000	5	1	14	26	126	177	408	477	1004	203	98	16	7	13	2579
3001-3250	2	4	6	27	120	134	458	668	1598	340	170	22	5	27	3583
3251-3500	-	-	3	11	77	96	419	690	1945	502	238	35	9	20	4047
3501-3750	-	3	7	7	30	52	221	428	1479	477	236	20	9	26	2996
3751-4000	-	-	1	3	18	32	92	240	916	305	157	18	5	11	1799
4001-4250	-	-	-	2	8	12	30	88	371	152	97	8	4	5	779
4251-4500	-	-	-	-	5	2	13	22	147	74	33	6	2	-	304
4501-4750	-	-	1	-	2	1	7	9	55	21	14	2	-	-	115
4751-5000	-	-	-	-	1	2	3	7	24	7	4	1	2	-	53
5001-5250	-	-	-	-	-	1	1	-	5	2	1	2	-	-	12
5251-5500	-	-	-	-	-	-	-	1	2	1	-	-	-	-	4
5501-5750	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2
5751-6000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6001-6250	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
6251-6500	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
6501 +	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NS	1	-	-	-	1	-	1	1	10	2	-	1	-	2	21
TOTAL	80	69	145	210	676	793	2095	2936	8162	2186	1096	142	46	118	18936
NON-RES	2	1	7	1	10	8	20	32	51	19	13	-	-	-	167
TOTAL	82	70	152	211	686	801	2115	2968	8213	2205	1109	142	46	118	19103

**TABLE 9 - MARRIAGES OCCURRING IN ALBERTA,
AGE OF BRIDEGROOM BY AGE OF BRIDE, 1980**

AGE OF BRIDEGROOM (YEARS)	AGE OF BRIDE (YEARS)															TOTAL
	< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 +	NS	
< 15	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
15-19	-	917	232	12	-	-	-	-	-	-	-	-	-	-	-	1161
20-24	1	2875	5115	566	81	12	5	2	1	-	-	-	-	-	1	8659
25-29	-	532	2819	1824	345	82	13	2	-	1	-	-	-	-	2	5620
30-34	-	81	622	912	561	137	38	8	2	-	-	-	-	-	1	2362
35-39	-	18	160	298	327	198	61	19	5	3	-	-	1	-	-	1090
40-44	-	4	41	85	149	128	88	35	14	3	1	-	-	-	-	548
45-49	-	-	12	40	70	63	122	95	33	6	2	-	-	-	-	433
50-54	1	-	6	17	22	43	50	71	50	27	5	2	1	-	-	295
55-59	-	-	1	4	6	20	32	38	48	42	22	4	-	-	-	217
60-64	-	-	-	-	3	3	9	13	26	33	21	13	4	1	-	126
65-69	-	-	-	-	1	1	1	2	5	17	36	25	7	2	-	97
70-74	-	-	-	-	-	1	2	1	3	8	16	14	17	4	-	66
75 +	-	-	-	-	-	1	-	-	2	1	7	21	17	9	-	58
NS	-	5	5	1	-	-	-	-	-	-	-	-	-	-	85	96
TOTAL	2	4432	9014	3759	1565	689	421	276	189	141	110	79	47	16	89	20829

**TABLE 9A - MARRIAGES OCCURRING IN ALBERTA,
FIRST MARRIAGE FOR BRIDE AND BRIDEGROOM,
AGE OF BRIDEGROOM BY AGE OF BRIDE, 1980**

AGE OF BRIDEGROOM (YEARS)	AGE OF BRIDE (YEARS)															TOTAL
	< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 +	NS	
< 15	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
15-19	-	915	218	6	-	-	-	-	-	-	-	-	-	-	-	1139
20-24	1	2829	4785	389	35	4	1	-	1	-	-	-	-	-	1	8046
25-29	-	446	2268	1175	114	17	-	-	-	1	-	-	-	-	1	4022
30-34	-	43	306	372	141	26	5	-	1	-	-	-	-	-	-	894
35-39	-	11	46	55	53	22	5	-	-	-	-	-	-	-	-	192
40-44	-	1	8	12	12	12	4	4	1	-	-	-	-	-	-	54
45-49	-	-	2	4	6	8	3	-	2	-	-	-	-	-	-	25
50-54	-	-	2	1	2	-	2	2	1	-	-	1	-	-	-	11
55-59	-	-	1	2	-	2	-	1	2	2	-	-	-	-	-	10
60-64	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	3
65-69	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	4
70-74	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2
75 +	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
NS	-	4	4	-	-	-	-	-	-	-	-	-	-	-	73	81
TOTAL	1	4249	7641	2016	363	93	21	8	8	5	1	3	-	1	75	14485

**TABLE 10 – MARRIAGES OCCURRING IN ALBERTA,
MARITAL STATUS OF BRIDEGROOM BY MARITAL STATUS OF BRIDE, 1980**

MARITAL STATUS OF BRIDEGROOM	MARITAL STATUS OF BRIDE				TOTAL
	SINGLE	WIDOWED	DIVORCED	NS	
SINGLE	14485	151	1741	9	16386
WIDOWED	83	233	177	-	493
DIVORCED	1869	183	1889	1	3942
NS	5	2	-	1	8
TOTAL	16442	569	3807	11	20829

TABLE 11 - DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1980

ICD - 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS)																				NON RES	GRAND	
		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90 +	NS	TOTAL	TOTAL	
		-4	-9	-14	-19	-24	-29	-34	-39	-44	-49	-54	-59	-64	-69	-74	-79	-84	-89	90 +	NS	TOTAL	TOTAL	
2 OTHER INTESTINAL INFECTIONS	M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	-	-	7	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	6	
	T	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	3	3	1	-	-	13	
TUBERCULOSIS																								
3 TB OF RESPIRATORY SYSTEM	M	-	-	-	-	-	-	-	1	1	-	-	3	2	-	-	-	2	2	-	-	-	11	
	F	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	4	
	T	-	-	-	-	-	1	-	1	1	-	-	3	2	1	1	-	3	2	-	-	-	15	
4 OTHER TUBERCULOSIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	3	
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	4	
SUB-TOTAL (3-4)	M	-	-	-	-	-	-	-	1	1	-	-	3	2	-	-	-	3	2	-	-	-	12	
	F	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	7	
	T	-	-	-	-	-	1	-	1	1	-	-	3	2	2	1	1	4	2	-	-	-	19	
5 WHOOPING COUGH	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	T	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
6 STREPT SORE THROAT SCARLATINA	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	T	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
7 MENINGOCOCCAL INFECTION	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	T	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
8 SEPTICEMIA	M	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	1	1	2	-	-	9	
	F	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	7	
	T	1	-	-	-	-	1	-	-	-	1	2	-	-	4	-	2	1	4	-	-	-	16	
11 VIRAL HEPATITIS	M	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	T	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	
12 SYPHILIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	T	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
13 ALL OTH INFEC &PARAS DISEASES	M	1	-	-	1	-	1	1	-	1	-	-	1	1	-	2	1	-	-	-	-	-	10	
	F	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	1	1	-	-	9	
	T	1	1	-	1	-	1	1	-	1	-	1	1	3	1	2	1	1	1	1	-	-	19	
MALIGNANT NEOPLASMS																								
14 LIP,ORAL CAVITY & PHARYNX	M	-	-	-	-	-	-	1	-	-	2	6	3	2	4	-	2	-	-	-	-	-	18	
	F	-	-	-	-	-	-	-	-	1	-	2	3	1	1	-	-	1	1	-	-	-	10	
	T	-	-	-	-	-	-	1	-	1	2	6	6	3	5	-	2	1	1	-	-	-	28	
15. DIGESTIVE ORGANS,PERITONEUM	M	1	-	-	-	-	1	2	1	7	18	24	42	61	76	68	72	37	21	14	-	4	449	
	F	-	-	-	-	-	1	-	-	5	9	16	27	31	33	55	40	34	32	23	-	3	309	
	T	1	-	-	-	-	2	2	1	12	27	40	69	92	109	123	112	71	53	37	-	7	758	

TABLE 11 - DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1980

I C D - 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS)																				NON RES	GRAND TOTAL
		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90 +	NS		
		-4	-9	-14	-19	-24	-29	-34	-39	-44	-49	-54	-59	-64	-69	-74	-79	-84	-89	90 +	NS		
16. RESPIRATORY & INTRATHORACIC	M	-	-	-	-	1	-	1	2	7	16	26	58	69	75	56	75	38	12	1	-	7	444
	F	-	-	-	-	-	-	-	4	4	11	10	27	17	26	16	11	8	8	1	-	4	147
	T	-	-	-	-	1	-	1	6	11	27	36	85	86	101	72	86	46	20	2	-	11	591
17. BREAST	M	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	3	3	13	9	19	32	30	30	32	26	21	12	6	7	-	3	248
	T	-	-	-	-	-	3	3	13	9	19	32	30	30	33	26	21	12	6	7	-	3	247
18. GENITAL ORGANS	M	-	-	-	-	1	1	1	2	1	1	1	3	11	13	24	45	34	21	17	-	-	176
	F	-	-	-	-	3	-	1	6	1	6	12	20	15	18	9	16	10	6	7	-	4	134
	T	-	-	-	-	4	1	2	8	2	7	13	23	26	31	33	61	44	27	24	-	4	310
19. URINARY ORGANS	M	1	-	-	-	-	-	-	2	4	2	7	8	16	16	9	9	9	5	-	-	1	89
	F	-	-	-	-	1	-	-	-	-	2	1	7	4	10	6	2	4	2	-	-	-	39
	T	1	-	-	-	1	-	-	2	4	4	8	15	20	26	15	11	13	7	-	-	1	128
20. OTHER UNSPECIFIED SITES	M	4	1	-	-	3	5	4	5	8	9	12	12	16	22	15	23	5	4	3	-	4	155
	F	2	1	-	2	1	8	1	6	9	12	18	17	11	16	12	14	6	4	-	-	2	143
	T	6	2	-	2	4	6	12	6	14	18	24	30	33	33	31	35	19	10	7	-	6	298
21. LEUKAEMIA	M	2	-	2	4	-	1	-	3	5	-	4	4	6	10	9	10	7	5	4	-	5	81
	F	1	-	1	2	2	1	1	-	2	1	4	5	3	3	5	6	3	5	-	-	1	46
	T	3	-	3	6	2	2	1	3	5	2	5	8	11	13	12	15	13	8	9	-	6	127
22. OTH LYMPHATIC & HEMATOPOTETIC	M	1	1	-	1	5	2	4	1	5	4	6	9	13	10	12	10	6	4	1	-	2	97
	F	1	-	-	1	-	2	2	1	2	-	4	3	3	5	7	5	4	2	1	-	-	43
	T	2	1	-	2	5	4	6	2	7	4	10	12	16	15	19	15	10	6	2	-	2	140
SUB-TOTAL (14-22)	M	9	2	2	5	10	10	12	15	35	52	77	139	187	225	204	244	138	76	45	-	23	1510
	F	4	1	1	5	7	8	15	25	27	57	89	132	128	133	143	116	90	68	51	-	17	1117
	T	13	3	3	10	17	18	27	40	62	109	166	271	315	358	347	360	228	144	96	-	40	2627
23. BENIGN NEOPLASMS & OTHER	M	-	-	-	1	1	1	-	-	-	1	1	1	-	3	5	3	2	-	1	-	-	20
	F	2	-	-	-	-	2	1	-	-	1	-	2	2	3	2	5	1	-	-	-	-	21
	T	2	-	-	1	1	3	1	-	-	2	1	3	2	6	7	8	3	-	1	-	-	41
24. DIABETES MELLITUS	M	-	-	-	1	2	-	2	-	-	5	4	6	5	14	9	9	20	12	12	-	2	103
	F	-	-	-	-	-	2	-	-	-	1	2	2	5	6	7	25	23	13	14	-	3	103
	T	-	-	-	1	2	2	2	-	-	6	6	8	10	20	16	34	43	25	26	-	5	206
25. NUTRITIONAL DEFICIENCIES	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	5
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	6
26. ANAEMIAS	M	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	6
	F	-	-	1	1	-	-	-	-	-	-	-	1	-	-	2	-	4	4	2	-	-	15
	T	-	1	1	1	-	-	-	-	-	-	1	-	1	3	2	5	4	2	-	-	-	21
27. MENINGITIS	M	-	1	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	5
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	5
	T	3	1	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-	-	10
DISEASES OF HEART																							
28. RHEUMATIC FEVER & HEART	M	-	1	-	1	-	-	1	-	1	1	1	2	2	3	2	-	1	1	-	-	2	19
	F	-	-	-	-	1	-	2	1	1	2	1	6	9	9	4	5	4	3	1	-	1	50
	T	-	1	-	1	1	-	3	1	2	3	2	8	11	12	6	5	5	4	1	-	3	69

TABLE 11 - DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1980

I C D - 9 72 SELECTED CAUSES OF DEATH		SEX	RESIDENTS AGE OF DECEASED (YEARS)																				NON RES	GRAND TOTAL
			0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90+ 90+	NS		
29 HYPERTENSIVE HEART DISEASE	M	-	-	-	-	-	-	-	-	-	1	3	4	4	5	5	5	5	1	2	-	-	35	
	F	-	-	-	-	-	-	-	-	-	2	1	2	-	1	7	3	9	5	2	-	-	32	
	T	-	-	-	-	-	-	-	-	-	3	4	6	4	6	12	8	14	6	4	-	-	67	
30 HYPERTENSIVE HEART & RENAL	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	3	
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	5	
31 ACUTE MYOCARDIAL INFARCTION	M	-	-	1	-	2	-	9	12	23	47	85	131	146	177	195	193	142	94	57	-	40	1354	
	F	-	-	-	1	-	1	1	3	3	9	27	25	42	85	101	124	112	91	56	-	23	704	
	T	-	-	1	1	2	1	10	15	26	56	112	156	188	262	296	317	254	185	113	-	63	2058	
32 OTH ACUTE&SUBACUTE ISCHAEMIC	M	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	2	-	1	8	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	
	T	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	-	2	-	1	10	
33 ANGINA PECTORIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	5	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	6	
35 OTH DISEASES OF ENDOCARDIUM	M	-	-	1	-	-	-	1	-	1	1	2	7	1	1	4	-	1	7	2	-	2	30	
	F	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	3	2	3	-	-	-	15	
	T	-	-	1	-	-	-	1	-	3	1	2	8	2	5	2	4	9	5	-	-	2	45	
36 ALL OTH FORMS OF HEART DIS	M	-	1	1	4	2	-	2	2	2	5	13	17	15	32	27	42	31	51	44	-	6	29	
	F	4	-	-	-	1	3	-	2	-	2	4	11	13	20	22	23	57	49	61	-	8	260	
	T	4	1	1	4	3	3	2	4	2	7	17	28	28	52	49	65	88	100	105	-	14	577	
SUB-TOTAL (28-36)	M	-	2	3	5	4	-	12	15	26	55	104	157	175	219	234	243	182	156	107	-	51	1750	
	F	4	-	-	1	2	4	3	6	4	17	33	44	65	118	135	158	188	150	123	-	32	1087	
	T	4	2	3	6	6	4	15	21	30	72	137	201	240	337	369	401	370	306	230	-	83	2837	
37 HYPERTENSION W WO RENAL DIS	M	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	7	1	-	-	-	-	16	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	1	-	11	
	T	-	-	-	-	-	-	-	-	-	-	1	2	1	4	5	10	3	1	-	-	-	27	
CEREBROVASCULAR DISEASES																								
38 CRANIAL HEMORRHAGE	M	-	-	-	-	-	-	-	-	2	7	3	5	2	10	10	13	5	11	4	-	2	74	
	F	-	-	-	-	-	2	-	4	4	2	1	6	7	4	13	10	12	5	5	-	2	77	
	T	-	-	-	-	-	2	-	4	6	9	4	11	9	14	23	23	17	16	9	-	4	151	
39 THROMBOSIS & UNSPEC OCCLUSION	M	-	-	-	-	-	-	-	-	-	2	3	7	11	17	18	17	15	12	-	-	-	102	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	5	10	19	13	11	23	-	1	82	
	T	-	-	-	-	-	-	-	-	-	2	3	7	16	27	37	30	26	35	-	-	1	184	
40 CEREBRAL EMBOLISM	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3	
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	5	
41 ALL OTHER & LATE EFFECTS	M	-	-	1	1	-	2	1	-	2	3	8	10	8	25	38	73	65	59	48	-	5	349	
	F	-	-	-	-	2	1	2	6	4	8	5	5	10	22	22	40	64	81	89	-	7	368	
	T	-	-	1	1	2	3	3	6	6	11	13	15	18	47	60	113	129	140	137	-	12	717	

TABLE 11 – DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1980

I C D - 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS)																			NON RES	GRAND		
		0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90 +	NS	TOTAL	TOTAL	
SUB-TOTAL (38-41)	M	-	-	1	1	-	2	1	-	4	10	13	18	17	46	65	104	88	86	64	-	7	527	
	F	-	-	-	-	2	3	2	10	8	10	6	11	17	31	46	69	90	98	117	-	10	530	
	T	-	-	1	1	2	5	3	10	12	20	19	29	34	77	111	173	178	184	181	-	17	1057	
42. ATHEROSCLEROSIS	M	-	-	-	-	-	-	-	-	-	-	2	3	4	6	21	24	18	36	-	2	116		
	F	-	-	-	-	-	-	-	-	-	-	-	1	1	9	13	35	33	44	-	1	137		
	T	-	-	-	-	-	-	-	-	-	2	4	5	15	34	59	51	80	-	3	253			
43. OTH DIS-ARTERIES,ART &CAPILL	M	-	-	-	-	-	-	-	2	3	5	8	6	17	20	12	5	7	4	-	7	96		
	F	-	-	-	-	-	-	1	1	-	1	1	7	6	5	5	9	8	-	1	46			
	T	-	-	-	-	-	-	1	3	3	6	9	7	24	26	17	10	16	12	-	8	142		
44. AC BRONCHITIS & BRONCHIOLITIS	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2		
	T	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5		
PNEUMONIA AND INFLUENZA																								
45. PNEUMONIA	M	4	1	-	-	1	2	3	-	3	2	13	10	7	10	13	16	20	34	38	-	4	181	
	F	3	-	2	-	1	2	-	2	3	-	5	-	5	8	9	12	22	23	45	-	5	147	
	T	7	1	2	-	2	4	3	2	6	2	18	10	12	18	22	28	42	57	83	-	9	328	
46. INFLUENZA	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	-	9	
	F	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	1	3	-	-	9	
	T	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	3	3	7	-	-	18	
SUB-TOTAL (45-46)	M	5	1	-	-	1	2	3	-	3	2	13	10	7	10	14	16	21	36	42	-	4	190	
	F	3	-	2	-	1	3	-	2	3	-	5	-	5	9	9	13	24	24	48	-	5	156	
	T	8	1	2	-	2	5	3	2	6	2	18	10	12	19	23	29	45	60	90	-	9	346	
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS																								
47. BRONCHITIS,CHRONIC &UNSPEC	M	2	-	-	-	-	-	-	-	-	2	1	3	6	7	9	9	11	4	-	2	56		
	F	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	2	3	1	-	1	13		
	T	2	-	-	-	-	-	-	-	1	2	1	4	7	8	11	11	14	5	-	3	69		
48. EMPHYSEMA	M	-	-	-	-	-	-	-	-	-	3	5	7	11	16	14	6	9	2	-	3	76		
	F	-	-	-	-	-	-	-	-	-	-	2	2	-	3	4	2	2	1	-	-	16		
	T	-	-	-	-	-	-	-	-	-	3	7	9	11	19	18	8	11	3	-	3	92		
49. ASTHMA	M	-	-	-	2	2	3	1	-	1	-	-	3	1	1	-	1	2	-	1	-	2	20	
	F	-	-	1	1	1	-	-	-	2	-	3	1	1	2	4	-	-	1	1	-	1	19	
	T	-	-	1	3	3	3	1	-	3	-	3	4	2	3	4	1	2	1	2	-	3	39	
50. OTHER	M	-	-	-	-	-	-	-	-	-	1	5	6	10	21	35	21	21	22	12	-	3	157	
	F	-	-	-	-	-	-	-	-	2	-	2	2	9	6	8	6	4	1	-	-	40		
	T	-	-	-	-	-	-	-	-	3	5	8	12	30	41	29	27	26	13	-	3	197		
SUB-TOTAL (47-50)	M	2	-	-	2	2	3	1	-	1	1	10	15	21	39	58	45	38	42	19	-	10	309	
	F	-	-	1	1	1	-	-	-	2	3	3	5	6	12	14	14	10	10	4	-	2	88	
	T	2	-	1	3	3	3	1	-	3	4	13	20	27	51	72	59	48	52	23	-	12	397	
51. ULCER OF STOMACH & DUODENUM	M	-	-	-	-	-	1	1	-	1	3	4	3	4	-	8	4	5	4	-	-	38		
	F	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	1	7	7	5	-	1	29	
	T	-	-	-	-	-	1	1	1	2	4	5	4	5	2	9	11	12	9	-	1	67		
52. APPENDICITIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	4		
	F	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2		
	T	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	6		

TABLE 11 - DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1980

I C D - 9 72 SELECTED CAUSES OF DEATH	SEX	RESIDENTS AGE OF DECEASED (YEARS)																				NON RES	GRAND	
		0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90 +	NS	TOTAL	TOTAL	
53 INTEST. OBSTR. & ABD. HERNIA	M	2	-	-	-	-	-	-	-	-	-	-	2	-	2	2	5	1	1	-	1	16		
	F	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	3	3	1	-	-	13		
	T	2	-	-	-	-	-	-	-	-	-	2	2	1	3	4	8	4	2	-	1	29		
54 CHRONIC LIVER DIS & CIRRHOSIS	M	-	-	-	-	2	3	9	9	24	18	24	20	20	11	5	4	-	1	-	4	154		
	F	-	-	-	-	2	4	6	7	6	11	11	9	14	3	-	1	3	-	-	-	77		
	T	-	-	-	-	4	7	15	16	30	29	35	29	34	14	5	5	3	1	-	4	231		
55 CHOLELITHIASIS & OTH GALLBLAD	M	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	7	-	2	-	-	19		
	F	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	-	1	11		
	T	-	-	-	-	-	-	-	-	-	-	1	1	2	5	5	9	2	4	-	1	30		
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																								
56 ACUTE GLOM. & NEPHROT. SYNDROME	M	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1		
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2		
57 CHR GLOM. NEPHRITIS & NEPHRO	M	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	5		
	F	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	5		
	T	-	-	-	1	-	-	-	-	-	1	-	-	4	1	2	1	-	-	-	-	10		
58 RENAL FAILURE & RESULTING DIS	M	-	-	-	-	-	1	-	-	1	3	4	1	-	3	8	7	2	7	-	2	39		
	F	2	-	1	-	-	-	-	-	1	1	1	2	3	2	9	7	4	3	-	-	36		
	T	2	-	1	-	-	1	-	-	2	4	5	3	3	5	17	14	6	10	-	2	75		
SUB-TOTAL (56-58)	M	-	-	-	1	-	1	-	-	1	3	4	1	2	4	10	7	2	7	-	2	45		
	F	2	-	1	-	-	-	-	-	1	2	1	2	5	3	9	9	4	3	-	-	42		
	T	2	-	1	1	-	1	-	-	2	5	5	3	7	7	19	16	6	10	-	2	87		
59 INFECTIONS OF KIDNEY	M	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	1	1	-	1	9		
	F	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	5	3	-	-	14			
	T	-	-	-	-	-	-	-	-	-	1	-	-	3	3	4	6	4	1	-	1	23		
60. HYPERPLASIA OF PROSTATE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	T	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2		
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM																								
62 OTHER COMPLICATIONS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
	T	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
SUB-TOTAL (61-62)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
	T	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
63. CONGENITAL ANOMALIES	M	81	3	1	4	-	1	1	-	1	-	-	1	1	1	-	-	-	-	-	4	99		
	F	59	-	-	-	1	-	-	-	2	-	1	1	2	-	-	-	-	-	-	3	69		
	T	140	3	1	4	1	1	1	-	1	2	-	2	2	3	-	-	-	-	-	7	168		

TABLE 11 - DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1980

		RESIDENTS AGE OF DECEASED (YEARS)																				NON RES	GRAND																					
I C D - 9 72 SELECTED CAUSES OF DEATH	SEX	0 -4	5 -9	10 -14	15 -19	20 -24	25 -29	30 -34	35 -39	40 -44	45 -49	50 -54	55 -59	60 -64	65 -69	70 -74	75 -79	80 -84	85 -89	90 + NS	TOTAL	TOTAL																						
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																																												
64. TRAUMA.HYPOX.ASPHYX.RESP.DIS	M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	45																						
	F	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	50																						
	T	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	95																						
65. OTHER	M	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	79																						
	F	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	49																						
	T	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	128																						
SUB-TOTAL (64-65)		M	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	124																						
	F	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	99																						
	T	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	223																						
66. SYMPTOMS.SIGNS & OTH COND.	M	49	-	-	-	-	1	-	-	-	3	-	1	3	1	1	1	-	1	-	1	61																						
	F	34	-	-	1	-	-	-	1	1	-	-	-	2	-	3	5	2	11	-	-	60																						
	T	83	-	-	1	-	1	-	1	1	3	-	1	5	1	4	5	2	12	-	1	121																						
67 ALL OTHER DISEASES	M	15	2	3	4	7	10	13	21	30	32	52	68	91	116	125	143	133	121	123	18	1127																						
	F	8	1	2	5	5	8	8	8	12	19	16	24	37	62	90	95	141	122	131	17	811																						
	T	23	3	5	9	12	18	21	29	42	51	68	92	128	178	215	238	274	243	254	35	1938																						
ACCIDENTS AND ADVERSE EFFECTS																																												
68 MOTOR VEHICLE ACCIDENTS	M	10	9	19	79	92	59	34	18	15	15	14	9	10	6	7	4	4	-	-	75	494																						
	F	6	6	10	44	19	15	9	9	6	8	8	7	8	8	5	2	1	-	-	12	191																						
	T	16	15	29	123	111	74	43	27	21	23	23	22	16	18	14	12	6	5	-	87	685																						
69. OTH ACCID & ADVERSE EFFECTS	M	21	7	18	18	41	26	20	17	16	16	18	31	8	15	13	18	11	14	10	28	366																						
	F	15	3	2	4	12	4	5	9	4	7	6	4	6	4	7	6	10	19	21	6	154																						
	T	36	10	20	22	53	30	25	26	20	23	24	35	14	19	20	24	21	33	31	34	520																						
SUB-TOTAL (68-69)		M	31	16	37	97	133	85	54	35	31	31	33	45	17	25	19	25	15	18	10	103	860																					
	F	21	9	12	48	31	19	14	18	10	15	14	12	13	12	15	11	12	20	21	18	345																						
	T	52	25	49	145	164	104	68	53	41	46	47	57	30	37	34	36	27	38	31	121	1205																						
70. SUICIDE	M	-	-	3	33	46	47	37	16	10	23	19	12	15	5	8	6	2	2	-	9	293																						
	F	-	-	2	9	10	9	13	9	4	8	6	3	7	8	5	2	1	-	-	-	96																						
	T	-	-	5	42	56	56	50	25	14	31	25	15	22	13	13	8	3	2	-	9	389																						
71. HOMICIDE & LEGAL INTERVENTION	M	1	-	-	2	4	5	5	2	4	1	-	2	1	-	-	-	-	-	-	6	33																						
	F	2	1	2	1	1	2	1	-	1	1	1	1	3	-	-	-	1	-	-	-	18																						
	T	3	1	2	3	5	7	6	2	5	2	1	3	4	-	-	-	1	-	-	6	51																						
72. ALL OTHER EXTERNAL CAUSES	M	1	1	2	3	12	9	8	3	4	6	7	14	5	7	3	1	1	1	-	8	96																						
	F	1	-	-	2	2	3	4	6	4	4	3	4	2	3	4	2	1	-	-	3	48																						
	T	2	1	2	5	14	12	12	9	8	10	10	18	7	10	7	3	2	1	-	11	144																						
ALL-CAUSES (1-72)																						M	322	29	52	160	222	178	156	120	162	250	368	539	583	765	805	909	714	592	484	-	269	7679
	F	240	13	25	74	63	67	67	92	85	148	194	259	309	438	500	553	666	581	590	-	123	5087																					
	T	562	42	77	234	285	245	223	212	247	398	562	798	892	1203	1305	1462	1380	1173	1074	-	392	12766																					

TABLE 12 - INFANT DEATHS OCCURRING IN ALBERTA, CAUSE BY SEX AND AGE, 1980

I C D - 9 10 SELECTED CAUSES OF INFANT DEATH	SEX	NEONATAL										RESIDENTS							TOTAL	POST NEONATAL							TOTAL	NON RES TOTAL	GRAND TOTAL
		<1	1	2	3	4	5	6	7-13	14-20	21-27	28D-1M	2 MOS	3 MOS	4 MOS	5 MOS	6 MOS	7-11 MOS											
1. GASTROINTESTINAL DISEASE	M	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	2								
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-								
	T	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	3	-	3								
2. PNEUMONIA AND INFLUENZA	M	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	4	-	5									
	F	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	2									
	T	-	-	-	-	-	-	-	2	-	-	1	1	-	-	1	2	5	-	7									
3. CONGENITAL ANOMALIES	M	12	4	2	4	3	-	1	1	4	1	32	2	6	2	1	1	4	17	2	51								
	F	11	2	3	3	1	-	-	2	6	1	29	1	2	2	1	-	1	13	2	44								
	T	23	6	5	7	4	-	1	3	10	2	61	3	8	4	2	1	2	30	4	95								
4. SHORT GEST. & L.B.W.	M	18	-	2	-	-	-	1	2	-	-	23	-	-	1	-	-	1	1	25									
	F	12	3	1	2	-	-	-	-	-	-	18	-	-	-	-	-	-	1	19									
	T	30	3	3	2	-	-	1	2	-	-	41	-	-	1	-	-	-	1	2	44								
5. BIRTH TRAUMA	M	3	2	2	1	3	-	-	5	-	-	16	-	-	-	-	-	-	-	16									
	F	2	3	3	1	-	-	3	5	2	-	19	-	-	-	-	-	-	2	21									
	T	5	5	5	2	3	-	3	10	2	-	35	-	-	-	-	-	-	2	37									
6. INTRAUT HYPOXIA & BIRTH ASPHYX	M	1	-	-	1	1	-	1	-	-	-	4	-	-	-	-	-	-	-	4									
	F	2	-	-	1	-	-	1	1	-	-	5	-	-	-	-	-	-	-	5									
	T	3	-	-	2	1	-	2	1	-	-	9	-	-	-	-	-	-	-	9									
7. RESPIRATORY DISTRESS SYNDROME	M	9	-	4	1	2	1	1	4	-	-	22	-	1	-	-	-	1	2	1	25								
	F	13	1	-	1	-	1	-	2	-	1	19	2	-	-	-	-	-	2	3	24								
	T	22	1	4	2	2	2	1	6	-	1	41	2	1	-	-	-	1	4	4	49								
8. OTHER PERINATAL CONDITIONS	M	23	5	4	6	3	1	-	1	1	-	44	2	1	-	-	2	-	6	4	54								
	F	12	4	1	1	3	1	-	2	-	-	24	2	-	1	-	1	-	4	-	28								
	T	35	9	5	7	6	2	-	3	1	-	68	4	1	1	-	3	-	10	4	82								
9. SUDDEN INFANT DEATH SYNDROME	M	-	-	-	-	-	-	-	1	-	-	1	14	11	13	6	-	-	47	1	49								
	F	-	-	-	-	-	-	-	-	-	-	-	6	3	15	3	1	1	30	-	30								
	T	-	-	-	-	-	-	-	1	-	-	1	20	14	28	9	1	1	77	1	79								
10. ALL OTHER CAUSES	M	13	4	1	-	1	-	2	2	-	-	23	6	2	2	3	-	3	29	1	53								
	F	7	-	2	-	1	-	-	1	1	2	14	2	3	-	2	1	4	19	1	34								
	T	20	4	3	-	2	-	2	3	1	2	37	8	5	2	5	1	7	48	2	87								
ALL-CAUSES (1-10)	M	79	15	15	13	13	2	6	17	5	1	166	25	24	18	10	3	4	108	10	284								
	F	59	13	10	9	5	2	4	14	9	4	129	13	8	18	6	5	6	70	9	208								
	T	138	28	25	22	18	4	10	31	14	5	295	38	32	36	16	8	10	178	19	492								

SUMMARY OF VITAL STATISTICS

Alberta

1980

VITAL STATISTICS SUMMARY, ALBERTA, 1980

POPULATION

Estimated population of Alberta as of June 1, 1980 was 2,079,000.¹

BIRTHS

A total of 39,336 live births to Alberta residents in Alberta were registered in 1980. This figure represents a birth rate of 18.9 per 1,000 population. Of the total live births registered, 761 or 1.9% were multiple births.

MARRIAGES

During 1980 there were 20,829 marriages performed in Alberta, representing 10.0 marriages for every 1,000 people. Of the grooms, 78.7% had not been married before, and 18.9% had been divorced. Of the brides, 78.9% had not been married before, and 18.3% had been divorced.

ADOPTIONS

In 1980, there were 1,815 registered adoptions in Alberta.

LEGAL CHANGE OF NAME

In 1980, 2,097 legal changes of name were registered in Alberta.

DEATHS

There were 12,759 deaths in Alberta in 1980; of which 12,374 were Alberta residents. Of the resident deaths, 7,410 were males and 4,964 were females. The death rate was 5.9 per 1,000 population.

LEADING CAUSES OF DEATH

The seven leading causes of death in Alberta in 1980, and the rates per 1,000 population were:

"Diseases of the Heart" (1.36); "Malignant Neoplasms" (1.26); "Accidents and Adverse Effects" (0.58); "Cerebrovascular Disease" (0.51); "Chronic Obstructive Pulmonary Disease and Allied Conditions" (0.19); "Suicide" (0.19); and "Pneumonia and Influenza" (0.17).

1

Alberta Bureau of Statistics, Population Estimates

INFANT MORTALITY

The number of resident infant deaths was 473; 274 males and 199 females. The number of neonatal deaths was 295; 166 males and 129 females. "Congenital Anomalies" was the most common cause of infant death, followed by "Other Perinatal Conditions" and "Sudden Infant Death Syndrome".

STILLBIRTHS

In 1980, there were 319 stillbirths registered, a rate of 8.11 per 1,000 live births.

RATE OF NATURAL INCREASE

The rate of natural increase was 12.7 per 1,000 population in 1980.

BIRTHS, DEATHS AND MARRIAGES
Alberta Municipalities of Population
1,000 or Greater, 1980

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1980

Municipality Name	Population 1980*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Airdrie	5,897	234	39.68	23	3.90	13	2.20
Athabasca	1,846	49	26.54	50	27.09	36	19.50
Barrhead	3,519	82	23.30	83	23.59	60	17.05
Bassano	1,148	9	7.84	8	6.97	14	12.20
Beaumont	2,144	72	33.58	14	6.53	7	3.26
Beaverlodge	1,847	51	27.61	20	10.83	13	7.04
Black Diamond	1,465	31	21.16	8	5.46	20	13.65
Blackfalds	1,325	28	21.13	5	3.77	5	3.77
Bon Accord	1,220	40	32.79	8	6.56	7	5.74
Bonnyville	4,256	103	24.20	56	13.16	41	9.63
Bow Island	1,398	28	20.03	19	13.59	20	14.31
Brooks	8,873	226	25.47	115	12.96	51	5.75
Bruderheim	1,014	38	37.48	5	4.93	6	5.92
Calgary	560,618	9,792	17.47	5,822	10.38	2,993	5.34
Camrose	11,898	205	17.23	151	12.69	160	13.45
Canmore	3,166	59	18.64	36	11.37	22	6.95

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1980

Municipality Name	Population 1980*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Cardston	3,043	104	34.18	325	106.8	51	16.76
Carstairs	1,474	45	30.53	21	14.25	12	8.14
Castor	1,207	19	15.74	18	14.91	16	13.26
Claresholm	3,425	38	11.09	29	8.47	54	15.77
Coaldale	4,391	82	18.67	22	5.01	38	8.65
Cochrane	2,948	77	26.12	36	12.21	16	5.43
Cold Lake	1,642	66	40.19	20	12.18	13	7.92
Coronation	1,421	29	20.41	14	9.85	16	11.26
Crossfield	1,052	23	21.86	10	9.51	5	4.75
Crowsnest Pass	7,340	115	15.67	37	5.04	76	10.35
Devon	3,669	110	29.98	26	7.09	17	4.63
Didsbury	2,866	48	16.75	31	10.82	45	15.70
Drayton Valley	5,076	132	26.00	101	19.90	32	6.30
Drumheller	6,380	97	15.20	64	10.03	92	14.42
Edmonton	505,773	9,037	17.87	5,698	11.27	2,887	5.71
Edson	5,671	155	27.33	78	13.75	56	9.87

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1980

Municipality Name	Population 1980*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Elk Point	1,041	29	27.86	18	17.29	15	14.41
Fairview	3,027	97	32.04	31	10.24	21	6.94
Falher	1,162	37	31.84	17	14.63	11	9.47
Fort McLeod	3,123	63	20.17	53	16.97	40	12.81
Fort McMurray	27,784	742	26.71	209	7.52	56	2.01
Fort Saskatchewan	11,482	232	20.21	89	7.75	52	4.53
Fox Creek	1,905	53	27.82	13	6.82	2	1.05
Gibbons	1,785	54	30.25	6	3.36	16	8.96
Grand Centre	3,107	75	24.14	49	15.77	13	4.18
Grande Cache	4,423	113	25.55	40	9.04	14	3.17
Grande Prairie	22,718	553	24.34	323	14.22	110	4.84
Grimshaw	2,209	53	23.99	12	5.43	16	7.24
Hanna	2,764	35	12.66	37	13.39	39	14.11
High Level	2,134	97	45.45	20	9.37	13	6.09
High Prairie	2,281	91	39.89	33	14.47	23	10.08
High River	4,281	71	16.58	52	12.15	38	8.88

Births, Deaths and Marriage
Alberta Municipalities of Population
1,000 or Greater, 1980

Municipality Name	Population 1980*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Hinton	8,018	185	23.07	68	8.48	25	3.12
Innisfail	4,831	108	22.36	53	10.97	33	6.83
Killam	1,005	17	16.92	11	10.95	10	9.95
Lac La Biche	2,035	110	54.05	31	15.23	41	20.15
Lacombe	5,218	107	20.51	101	19.36	50	9.58
Lamont	1,371	34	24.80	11	8.02	26	18.96
Leduc	11,603	224	19.31	95	8.19	51	4.40
Legal	1,032	28	27.13	10	9.69	9	8.72
Lethbridge ¹	53,135	846	15.92	643	12.10	419	7.89
Lloydminster	8,423	20	2.37	154	18.28	47	5.58
Magrath	1,464	37	25.27	10	6.83	15	10.25
Manning	1,166	39	33.45	32	27.44	21	18.01
Mayerthorpe	1,502	51	33.95	25	16.64	21	13.98
McLennan	1,212	35	28.88	10	8.25	15	12.38
Medicine Hat	37,684	693	18.39	459	12.18	306	8.12
Morinville	4,207	155	36.84	33	7.84	19	4.52

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1980

Municipality Name	Population 1980*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Nanton	1,527	24	15.72	19	12.44	17	11.13
Okotoks	2,967	72	24.27	23	7.75	8	2.70
Olds	4,488	92	20.50	62	13.81	44	9.80
Oyen	1,011	10	9.89	14	13.85	7	6.92
Peace River	5,754	177	30.76	99	17.21	43	7.47
Penhold	1,242	40	32.21	2	1.61	2	1.61
Picture Butte	1,329	26	19.56	7	5.27	9	6.77
Pincher Creek	3,825	78	20.39	66	17.25	25	6.54
Ponoka	4,873	60	12.31	77	15.80	73	14.98
Provost	1,627	34	20.90	17	10.45	27	16.59
Raymond	2,672	84	31.44	18	6.74	26	9.73
Red Deer	41,371	814	19.68	615	14.87	275	6.65
Redcliff	3,641	77	21.15	16	4.39	16	4.39
Redwater	1,856	43	23.17	10	5.39	18	9.70
Rimbey	1,858	30	16.15	49	26.37	19	10.23
Rocky Mountain House	4,467	149	33.36	90	20.15	47	10.52

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1980

Municipality Name	Population 1980*	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Sexsmith	1,141	29	25.42	11	9.64	4	3.50
Slave Lake	4,328	127	29.34	28	6.47	17	3.93
Smoky Lake	1,121	25	22.30	12	10.70	20	17.84
Spirit River	1,107	16	14.45	23	20.78	12	10.84
Spruce Grove	9,074	270	29.76	83	9.15	27	2.98
St. Albert	29,512	517	17.52	274	9.28	80	2.71
St. Paul	5,066	147	29.02	60	11.84	48	9.47
Stettler	5,035	91	18.07	65	12.91	47	9.33
Stony Plain	4,442	121	27.24	73	16.43	39	8.78
Strathmore	2,724	60	22.03	32	11.75	14	5.14
Sundre	1,604	36	22.44	20	12.47	12	7.48
Swan Hills	2,553	65	25.46	4	1.57	6	2.35
Sylvan Lake	3,650	102	27.95	45	12.33	35	9.59
Taber	5,708	138	24.18	65	11.39	58	10.16
Three Hills	1,868	58	31.05	26	13.92	16	8.57
Tofield	1,440	30	20.83	25	17.36	21	14.58

Births, Deaths and Marriages
Alberta Municipalities of Population
1,000 or Greater, 1980

Municipality Name	Population 1980	Births by Residence of Mother	Rate/ 1,000	Marriages by Place of Event	Rate/ 1,000	Deaths by Residence of Deceased	Rate/ 1,000
Turner Valley	1,207	20	16.57	---	-----	7	5.80
Two Hills	1,302	22	16.90	10	7.68	13	9.98
Valleyview	2,066	72	34.85	19	9.20	16	7.74
Vauxhall	1,075	34	31.63	16	14.88	2	1.86
Vegreville	4,809	64	13.31	78	16.22	60	12.48
Vermilion	3,455	96	27.79	42	12.16	51	14.76
Viking	1,227	17	13.85	29	23.63	27	22.00
Vulcan	1,520	29	19.08	20	13.16	22	14.47
Wainwright	4,115	49	11.91	53	12.88	48	11.66
Wembley	1,119	31	27.70	---	-----	4	3.57
Westlock	3,824	89	23.27	79	20.66	63	16.47
Wetaskiwin	9,167	185	20.18	136	14.84	89	9.71
Whitecourt	5,153	155	30.08	49	9.51	11	2.13

* Alberta Municipal Affairs Official Population List, 1980.

1 Birthrate is very low in Lloydminster because the hospital is located on the Saskatchewan side of the border. Therefore, births to Alberta residents in hospital are not recorded as Alberta events, but will be included in the Statistics Canada figures when out-of-province events are added. This may also affect the death rates as deaths occurring in the hospital would be recorded in the same manner.

GLOSSARY OF TERMS

- Vital Statistics: Records dealing with births, deaths, marriages and adoptions: all events which have to do with an individual's entrance into or departure from life, together with changes in civil status.
- Live Birth: A complete expulsion or extraction from the mother, irrespective of the duration of the pregnancy, of a foetus in which, after expulsion or extraction, there is breathing, beating of the heart, pulsation of the umbilical cord or definite movement of a voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.
- Stillbirth: Foetal death of at least 20 weeks gestation or 500 grams weight.
- Gestation: Time between the conception and birth of an infant, the usual length being 40 weeks.
- Wedlock: For purpose of this report, in-wedlock means that the parents of the child are married to each other at the time of the birth, or are subsequently married and have changed the birth registration.
- Birth Order: Number of live births to the mother, including this birth.
- Infant Death: Death of a child between birth and one year of age.
- Neo-natal Death: Death of an infant 28 days of age or less.
- Natural Increase: Excess of births minus deaths.

L I S T O F 7 2
S E L E C T E D C A U S E S O F D E A T H

9 t h R e v i s i o n

I N T E R N A T I O N A L C L A S S I F I C A T I O N
O F D I S E A S E S

LIST OF 72 SELECTED CAUSES OF DEATH

NUMBER	CAUSE OF DEATH	ICD9 CODE
1	Shigellosis and amebiasis	004,006
2	Certain other intestinal infection	007-009
	Tuberculosis	010-018
3	Tuberculosis of respiratory system	010-012
4	Other Tuberculosis	013-018
5	Whooping cough	033
6	Streptococcal sore throat, scarlatina and erysipelas	034-035
7	Meningococcal infection	036
8	Septicemia	038
9	Acute poliomyelitis	045
10	Measles	055
11	Viral hepatitis	070
12	Syphilis	090-097
13	All other infectious and parasitic diseases	
	001-003,005,020-032,037,039-041	
	046-054,056-066,071-088,098-139	
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208
14	Malignant neoplasms of lip, oral cavity and pharynx	140-149
15	Malignant neoplasms of digestive organs and peritoneum	150-159
16	Malignant neoplasms of respiratory and intrathoracic organs	160-165
17	Malignant neoplasms of breast	174-175
18	Malignant neoplasms of genital organs	179-187
19	Malignant neoplasms of urinary organs	188-189
20	Malignant neoplasms of all other and unspecified sites	170-173,190-199
21	Leukemia	204-208
22	Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203
23	Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behaviour and of unspecified nature	210-239
24	Diabetes mellitus	250
25	Nutritional deficiencies	260-269
26	Anemias	280-285
27	Meningitis	320-322
	Major cardiovascular diseases	390-448
	Diseases of heart	390,398,402,404-429
28	Rheumatic fever and rheumatic heart disease	390-398
29	Hypertensive heart disease	402
30	Hypertensive heart and renal disease	404
	Ischemic heart disease	410-414

LIST OF 72 SELECTED CAUSES OF DEATH - Continued

NUMBER	CAUSE OF DEATH	ICD9 CODE
31	Acute myocardial infarction	410
32	Other acute and subacute forms of ischemic heart disease	411
33	Angina pectoris	413
34	All other forms of chronic ischemic heart disease	412-414
35	Other diseases of endocardium	424
36	All other forms of heart disease	415-423 425-429
37	Hypertension with or without renal disease	401,403
	Cerebrovascular diseases	430-438
38	Intracerebral and other intracranial hemorrhage	431-432
39	Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9
40	Cerebral embolism	434.1
41	All other and late effects of cerebrovascular diseases	430,433,435-438
42	Atherosclerosis	440
43	Other diseases of arteries, arterioles and capillaries	441-448
44	Acute bronchitis and bronchiolitis	466
	Pneumonia and influenza	480-487
45	Pneumonia	480-486
46	Influenza	487
	Chronic obstructive pulmonary diseases and allied conditions	490-496
47	Bronchitis, chronic and unspecified	490-491
48	Emphysema	492
49	Asthma	493
50	Other chronic obstructive pulmonary diseases and allied conditions	494-496
51	Ulcer of stomach and duodenum	531-533
52	Appendicitis	540-543
53	Hernia of abdominal cavity and intestinal obstructions without mention of hernia	550-553,560
54	Chronic liver disease and cirrhosis	571
55	Cholelithiasis and other disorders of gallbladder	574-575
	Nephritis, nephrotic syndrome and nephrosis	580-589
56	Acute glomerulonephritis and nephrotic syndrome	580-581
57	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587

LIST OF 72 SELECTED CAUSES OF DEATH - Continued

NUMBER	CAUSE OF DEATH	ICD9 CODE
58	Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586, 588-589
59	Infections of kidney	590
60	Hyperplasia of prostate	600
	Complications of pregnancy, childbirth, and the puerperium	630-676
61	Pregnancy with abortive outcome	630-638
62	Other complications of pregnancy, childbirth, and the puerperium	640-676
63	Congenital anomalies	740-759
	Certain conditions originating in the perinatal period	760-779
64	Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769
65	Other conditions originating in the perinatal period	760-766, 770-779
66	Symptoms, signs, and ill-defined conditions	780-799
67	All other diseases	Residual
	Accidents and adverse effects	E800-E949
68	Motor vehicle accidents	E810-E825
69	All other accidents and adverse effects	E800-E807, E826-E949
70	Suicide	E950-E959
71	Homicide and legal intervention	E960-E978
72	All other external causes	E980-E999

LIST OF 10 SELECTED CAUSES OF INFANT DEATH

NUMBER	CAUSE OF DEATH	ICD9 CODE
1	Certain gastrointestinal diseases	008-009, 535, 555-588
2	Pneumonia and influenza	480-487
3	Congenital anomalies	740-759
4	Disorders relating to short gestation and unspecified low birthweight	765
5	Birth trauma	767
6	Intrauterine hypoxia and birth asphyxia	768
7	Respiratory distress syndrome	769
8	Other conditions originating in the perinatal period	760-764, 766, 770-779
9	Sudden infant death syndrome	798.0
10	All other causes	Residual